


The Alberta-Pacific FMA Area Timber Supply Analysis

FMU L11




Summary Category	Coniferous	Deciduous	Total
Net Harvestable Landbase (ha)	-	-	285,730
Initial LRSY (m³/yr)	213,844	416,340	630,183
Woodstock™ Aspatial AAC (m³/yr)	140,163	310,555	450,718
Patchworks AAC - (m³/yr)	150,953 108%	355,228 114%	506,181
Stand Retention Deduction	0%	5%	-
Cull Deduction	2%	4%	-

Patchworks Coniferous Harvest Summary by Cover Type: 60-Year Average



Primary Coniferous Average Harvest	
Cover Group	m³/yr
C-Sw	41,648
C-Sb	22,337
C-Pj	86,968
Total	150,953
Incidental/ Secondary Deciduous Average	
Cover Group	m³/yr
D/DC	67,595
Total	67,595
Total Conifer Harvest	218,548


Patchworks Deciduous Harvest Summary by Cover Type: 60-Year Average




Primary Deciduous Average Harvest	
Cover Group	m³/yr
D/DC	355,228
Total	355,228
Incidental/ Secondary Coniferous Average	
Cover Group	m³/yr
C/CD	32,009
Total	32,009
Total Deciduous Harvest	387,237



FMA and Non FMA Coniferous AAC by Cover Type




FMA Deciduous AAC by Cover Type






Initial Ageclass Structure by Cover Type




Area Harvested by Cover Type






Growing Stock Over Time




Average Volume Per Ha Harvested Over Time





Age Class Distribution



Average Harvest Ages Over Time

Species Group	Now	+ 50 Years	+ 100 Years	+ 150 Years	+ 200 Years
Deciduous	108	110	77	73	82
Deciduous/Coniferous	116	119	147	81	132
Coniferous/Deciduous	116	137	88	92	84
White Spruce	120	151	102	105	105
Black Spruce	133	138	179	132	135
Pine	96	121	91	102	98