Watercourse Buffers - Watercourses were buffered, as per current operating ground rules:

- 1. Lakes > 4 ha: 100 metre buffer width surrounding the lake.
- 2. Rivers: 60 metre buffer width on each side, for a total of 120 metres.
- 3. Large Permanent Streams: 60 metre buffer width on each side, for a total of 120 metres.
- 4. Small Permanent Streams: 30 metre buffer width on each side, for a total of 60 metres.
- 5. Lakes < 4 ha: 20 metre buffer width surrounding the lake.

Subjective Deletions — Includes areas identified by ANC staff as inoperable and/or inaccessible. These areas were digitized from 1:50,000 topographic maps.

Merchantability Tests — The following merchantability tests were applied to all stands within the FMA area:

- 1. Stands with an unproductive Timber Productivity Rating (site).
- 2. Stands with black spruce, larch or balsam fir as primary species, a fair timber productivity rating, and a pure softwood species group.

Figure 3.6 is a flow chart explaining the net down process applied to the ANC FMA area. Figure 3.7 depicts the spatial location in the FMA area of the net down categories.







Figure 3.6 The Net Production Area - Net Down Process Applied to the ANC FMA Area



3.4.2 Net Landbase Estimates

The following profiles provide a detailed description of landbase categories on an FMA area-wide and individual FMU basis. Deductions from the "gross" area were calculated in the sequence shown (i.e., the hierarchy of decision rules produced a cumulative, non-duplicating result). Tables 3.5–3.9 list the specific net downs for each sustained yield unit.

Table 3.5 FMA area landbase summary

Net Landbase Determination	Area (ha)
Gross Area	378,726
Recreation Areas:	4,899
Non-Forested Areas:	
Natural	11,668
Anthropogenic	7,250
Sub-Total	18,918
Gross Forested Area	354,909
Hydrological Buffers:	
Lake Buffers – 100 m	541
River Buffers – 60 m	3,503
Stream Buffers – 60 m	1,652
Stream Buffers – 30 m	5,925
Lake Buffers – 20 m	34
Sub-Total	11,656
Net Forested Area	343,253
Subjective Deletions:	3,356
Unmerchantable Areas:	
Unproductive Timber Productivity Rating	41,689
Fair Site Sb, Lt or Fb Leading Species,	
and Pure Softwood Species Group	15,525
Sub-Total	57,214
Net Productive Area	282,683

Some minor differences in totals may exist due to rounding.

Table 3.6 Landbase summary: Berland SYU.

Net Landbase Determination	Area (ha)
Gross Area	23,588
Recreation Areas:	262
Non-Forested Areas:	
Natural	467
Anthropogenic	410
Sub-Total	877
Gross Forested Area	22,449
Hydrological Buffers:	
Lake Buffers – 100 m	114
River Buffers – 60 m	367
Stream Buffers – 60 m	0
Stream Buffers – 30 m	337
Lake Buffers – 20 m	2
Sub-Total	820
Net Forested Area	21,629
Subjective Deletions:	755
Unmerchantable Areas:	
Unproductive Timber Productivity Rating	854
Fair Site Sb, Lt or Fb Leading Species,	659
and Pure Softwood Species Group	
Sub-Total	1,512
Net Productive Area	19,361

Some minor differences in totals may exist due to rounding.

Table 3.7 Landbase summary: Foothills SYU.

Net Landbase Determination	Area (ha)
Gross Area	86,528
Recreation Areas:	332
Non-Forested Areas:	
Natural	3,329
Anthropogenic	751
Sub-Total	4,080
Gross Forested Area	82,116
Hydrological Buffers:	
Lake Buffers – 100 m	63
River Buffers – 60 m	503
Stream Buffers – 60 m	644
Stream Buffers – 30 m	1,378
Lake Buffers – 20 m	9
Sub-Total	2,598
Net Forested Area	79,518
Subjective Deletions:	598
Unmerchantable Areas:	
Unproductive Timber Productivity Rating	8,912
Fair Site Sb, Lt or Fb Leading Species,	
and Pure Softwood Species Group	5,067
Sub-Total	13,979
Net Productive Area	64,941

Some minor differences in totals may exist due to rounding.



Table 3.8 Landbase summary: Little Smoky SYU.

Net Landbase Determination	Area (ha)
Gross Area	229,950
Recreation Areas:	4,305
Non-Forested Areas:	
Natural	7,095
Anthropogenic	4,099
Sub-Total	11,194
Gross Forested Area	214,451
Hydrological Buffers:	
Lake Buffers – 100 m	352
River Buffers – 60 m	2,354
Stream Buffers – 60 m	846
Stream Buffers – 30 m	3,480
Lake Buffers – 20 m	17
Sub-Total	7,049
Net Forested Area	207,402
Subjective Deletions:	527
Unmerchantable Areas:	
Unproductive Timber Productivity Rating	30,951
Fair Site Sb, Lt or Fb Leading Species,	9,278
and Pure Softwood Species Group	
Sub-Total	40,229
Net Productive Area	166,647

Some minor differences in totals may exist due to rounding.

Table 3.9 Landbase summary: Pine SYU.

Net Landbase Determination	Area (ha)
Gross Area	38,660
Recreation Areas:	0
Non-Forested Areas:	
Natural	777
Anthropogenic	1,990
Sub-Total	2,767
Gross Forested Area	35,893
Hydrological Buffers:	
Lake Buffers – 100 m	12
River Buffers – 60 m	279
Stream Buffers – 60 m	162
Stream Buffers – 30 m	730
Lake Buffers – 20 m	6
Sub-Total	1,189
Net Forested Area	34,703
Subjective Deletions:	1,476
Unmerchantable Areas:	
Unproductive Timber Productivity Rating	972
Fair Site Sb, Lt or Fb Leading Species,	
and Pure Softwood Species Group	521
Sub-Total	1,494
Net Productive Area	31,734

Some minor differences in totals may exist due to rounding.



3.5 Timber Supply Procedures

3.5.1 Introduction

Theoretical timber supply estimates were generated for merchantable conifer and deciduous species using a 15/10 utilization standard for the FMA area as a whole, as well as for individual Forest Management Units within the FMA area (original FMUs W1, W8, E6, E7). The net productive forest landbase used in these AAC calculations, described in Chapter 3 of the ANC TSA, was determined in consultation with ANC and the Alberta Forest Service. Decision rules used in the "net down" reflected forest management and wildlife guidelines, the imposition of operating ground rules, and the application of merchantability criteria. Cutblocks identified in the new AVI, as well as those used during the orthophoto update, were assigned to pure conifer yield strata on medium sites (unless an AVI TPR was identified). Plot-based yield curves used in the analysis were developed from temporary sample plot data collected by ANC in the company's volume sampling program.

Three standard procedures, approved by the Forest Service, were used to provide baseline AAC estimates:

- 1. Long run sustained yield average (LRSYA)
- 2. Area-volume check
- 3. Simulated harvest sequencing

These three procedures are discussed in detail below.

3.5.2 Long Run Sustained Yield Average (LRSYA)

LRSYA is a measure of forest productivity and is calculated as the sum of growth per year of regenerated stands at a selected rotation age. It is derived from the theoretical concept of a regulated forest with a static and uniform age class distribution, a single rotation age, and a single yield function operating across equally productive sites. Under these assumptions, the annual harvest equates to the annual growth in the oldest age class. LRSYA was calculated using the following formula:

$$LRSYA = MAI_{i} \cdot A_{i}$$

where:

LRSYA = long run sustained yield average (m^3/yr)

 MAI_i = mean annual increment (m³/ha/yr) for yield class i

 A_i = net area (ha) for yield class i

Tables 3.10-3.14 list the specific LRSYA for each sustained yield unit under various regeneration scenarios.



Table 3.10 Preliminary LRSYA estimates for the FMA area - tree improvement regeneration transition.

Totals	16	15	14	13	12	11	10	9	8	7	6	5	4	З	2	_	Yield Curve	
	CD-H-A-A	AB-H-A-A	CD-MX-A-A	AB-MX-A-A	CD-S-11-F	CD-S-11-M	CD-S-11-G	AB-S-11-F	AB-S-11-M	AB-S-11-G	CD-S-10-F	CD-S-10-M	CD-S-10-G	AB-S-10-F	AB-S-10-M	AB-S-10-G	Description	
19,361	1,469	337	4,567	1,106	729	6,422	1,463	124	1,355	499	85	713	172	83	120	118	Berland (E6)	
64,941	649	22	437	162	544	3,421	667	49	802	218	13,428	31,344	4,059	2,435	5,881	826	Foothills (E7)	Area(h
166,647	14,786	4,637	8,493	3,537	4,090	38,654	8,455	1,619	8,658	2,619	5,386	43,756	9,399	2,155	8,946	1,456	Little Smoky Pine (W8) (W1)	Area(ha) by Yield Curve
31,734	1,140	480	4,378	976	1,407	9,194	5,640	714	1,504	655	529	2,356	1,862	216	454	231	Pine (W8)	Curve
282,683	18,043	5,477	17,875	5,781	6,769	57,690	16,225	2,506	12,319	3,990	19,427	78,169	15,492	4,888	15,401	2,630	FMA area	
	0.82	0.82	1.73	1.73	1.56	2.52	3.26	1.56	2.52	3.26	1.24	2.18	3.42	1.24	2.18	3.42	MAI (m³/ha/yr) @ 90 Years	
41,667	1,208	277	7,916	1,918	1,136	16,183	4,775	194	3,415	1,628	105	1,557	589	102	263	402	MAI (m³/ha/yr) @Berland (E6) 90 Years	
133,652	533	18	757	280	848	8,620	2,177	76	2,022	711	16,597	68,455	13,881	3,009	12,845	2,824	Foothills (E7)	Prelim
362,648	12,157	3,813	14,722	6,131	6,381	97,409	27,599	2,525	21,818	8,549	6,657	95,564	32,144	2,663	19,538	4,979	Little Smoky (W1)	Preliminary LRSYA (m³/yr)
75,637	937	395	7,588	1,692	2,194	23,168	18,409	1,114	3,789	2,137	654	5,146	6,367	267	991	788	Pine (W8)	(m³/yr)
613,605	14,836	4,504	30,983	10,021	10,560	145,379	52,960	3,909	31,044	13,024	24,012	170,722	52,982	6,041	33,636	8,993	FMA area	



Alberta Newsprint Company 1999 Detailed Forest Management Plan, revised October 2002

Table 3.11 Preliminary LRSYA estimates for the FMA area - 50% empirical regeneration transition.

818,324	98,501	486,249	180,950	52,624		282,683	31,734	166,647	64,941	19,361		Totals
14,836	937	12,157	533	1,208	0.82	18,043	1,140	14,786	649	1,469	CD-H-A-A	16
4,504	395	3,813	18	277	0.82	5,477	480	4,637	22	337	AB-H-A-A	15
30,983	7,588	14,722	757	7,916	1.73	17,875	4,378	8,493	437	4,567	CD-MX-A-A	14
10,021	1,692	6,131	280	1,918	1.73	5,781	976	3,537	162	1,106	AB-MX-A-A	13
9,796	2,036	5,919	787	1,054	1.45	6,769	1,407	4,090	544	729	CD-S-11-F	12
201,114	32,050	134,753	11,924	22,387	3.49	57,690	9,194	38,654	3,421	6,422	CD-S-11-M	11
72,673	25,262	37,872	2,987	6,552	4.48	16,225	5,640	8,455	667	1,463	CD-S-11-G	10
3,626	1,033	2,343	70	180	1.45	2,506	714	1,619	49	124	AB-S-11-F	9
42,945	5,242	30,182	2,797	4,724	3.49	12,319	1,504	8,658	802	1,355	AB-S-11-M	8
17,873	2,932	11,731	975	2,234	4.48	3,990	655	2,619	218	499	AB-S-11-G	7
22,752	620	6,307	15,725	99	1.17	19,427	529	5,386	13,428	85	CD-S-10-F	6
250,185	7,542	140,045	100,317	2,281	3.20	78,169	2,356	43,756	31,344	713	CD-S-10-M	5
70,102	8,425	42,531	18,367	779	4.53	15,492	1,862	9,399	4,059	172	CD-S-10-G	4
5,724	253	2,523	2,851	97	1.17	4,888	216	2,155	2,435	83	AB-S-10-F	3
49,292	1,452	28,632	18,823	385	3.20	15,401	454	8,946	5,881	120	AB-S-10-M	2
11,900	1,043	6,588	3,736	532	4.53	2,630	231	1,456	826	118	AB-S-10-G	_
FMA area	Pine (W8)	Little Smoky (W1)	Foothills (E7)	Berland (E6)	MAI (m³/ha/yr) @ 90 Years	FMA area	y Pine (W8)	Little Smoky (W1)	Foothills (E7)	Berland (E6)	Description	Yield Curve
	m³/yr)	Preliminary LRSYA (m³/yr)	Prelimi				d Curve	Area (ha) by Yield Curve	Area (h			
												Ĩ

Table 3.12 Preliminary LRSYA estimates for the FMA area - 25% PSP regeneration transition.

72,434 583,936	344,794	126,846	39,862		282,683	31,734	166,647	64,941	19,361		Totals
937	12,157	533	1,208	0.82	18,043	1,140	14,786	649	1,469	CD-H-A-A	16
395	3,813	18	277	0.82	5,477	480	4,637	22	337	AB-H-A-A	15
7,588	14,722	757	7,916	1.73	17,875	4,378	8,493	437	4,567	CD-MX-A-A	14
1,692	6,131	280	1,918	1.73	5,781	976	3,537	162	1,106	AB-MX-A-A	13
2,032	5,908	785	1,052	1.44	6,769	1,407	4,090	544	729	CD-S-11-F	12
21,452	90,193	7,981	14,984	2.33	57,690	9,194	38,654	3,421	6,422	CD-S-11-M	11
18,067	27,085	2,137	4,686	3.20	16,225	5,640	8,455	667	1,463	CD-S-11-G	10
1,031	2,338	70	180	1.44	2,506	714	1,619	49	124	AB-S-11-F	9
3,508	20,201	1,872	3,162	2.33	12,319	1,504	8,658	802	1,355	AB-S-11-M	8
2,097	8,390	698	1,598	3.20	3,990	655	2,619	218	499	AB-S-11-G	7
617	6,284	15,666	99	1.17	19,427	529	5,386	13,428	85	CD-S-10-F	6
4,872	90,478	64,811	1,474	2.07	78,169	2,356	43,756	31,344	713	CD-S-10-M	5
6,189	31,242	13,492	572	3.32	15,492	1,862	9,399	4,059	172	CD-S-10-G	4
252	2,514	2,840	96	1.17	4,888	216	2,155	2,435	83	AB-S-10-F	သ
938	18,498	12,161	249	2.07	15,401	454	8,946	5,881	120	AB-S-10-M	2
766	4,840	2,744	391	3.32	2,630	231	1,456	826	118	AB-S-10-G	_
Pine (W8)	Little Smoky (W1)	Foothills (E7)	Berland (E6)	MAI (m³/ha/yr) @ 90 Years	FMA area	y Pine (W8)	Little Smoky (W1)	Foothills (E7)	Berland (E6)	Description	Yield Curve
n³/yr)	Preliminary LRSYA (m³/yr)	Prelimi				d Curve	Area (ha) by Yield Curve	Area (h			

